

Message

From: Nathan Rose [nathan.rose@oxitec.com]
Sent: 6/18/2019 1:38:00 PM
To: Bohnenblust, Eric [Bohnenblust.Eric@epa.gov]
CC: Reynolds, Alan [Reynolds.Alan@epa.gov]; Mendelsohn, Mike [Mendelsohn.Mike@epa.gov]
Subject: RE: Oxitec

Hi Eric

Thanks for getting in touch, and thanks for the heads up on the letter.

9am EDT on Thurs is good – I'll get a couple of people together on our end so that we can make sure we're best placed to respond to any data needs you've identified. If we can have that discussion, I'm not too concerned if we only get the letter on July 1.

If there's any CBI in the letter we'll need to work with WileyRein to make sure you can get a hard-copy to us.

Could you send me dial-in details for the call on Thurs?

Best wishes

Nathan

From: Bohnenblust, Eric <Bohnenblust.Eric@epa.gov>
Sent: 18 June 2019 14:23
To: Nathan Rose <nathan.rose@oxitec.com>
Cc: Reynolds, Alan <Reynolds.Alan@epa.gov>; Mendelsohn, Mike <Mendelsohn.Mike@epa.gov>
Subject: RE: Oxitec

Hi Nathan,

We are finishing up our screen reviews and will be working on a 10-day letter. Given the timing, with the 90 day date being July 1. I think it would be best to set up a meeting for next Wednesday or Thursday, I've put a placeholder on 9 am Thursday June 27 let me know if that time doesn't work. On our end it looks like Thursday will be the easier day to schedule. I can't say for sure we will have the 10-day letter final by then, but if not, I think we will be close enough to have a discussion and then provide the letter by July 1.

Thanks.

Eric Bohnenblust, Ph.D
Senior Biologist
Emerging Technologies Branch (ETB)
Biopesticides and Pollution Prevention Division (BPPD)
Phone: 703-347-0426
Email: Bohnenblust.eric@epa.gov

From: Nathan Rose [<mailto:nathan.rose@oxitec.com>]
Sent: Tuesday, June 18, 2019 7:58 AM
To: Bohnenblust, Eric <Bohnenblust.Eric@epa.gov>
Subject: RE: Oxitec

Hi Eric

Hope you are well!

I'm conscious that we are approaching the end of the 90-day technical review period for our OX5034 Aedes aegypti EUP.

I thought it might be helpful to arrange a brief call sometime in the next couple of weeks to see if there's any additional data needs you might have identified that we can respond to.

We've also recently completed our first field trial of OX5034 and can share some brief updates on our results with you, if helpful. Let us know!

Kind regards

Nathan

Nathan Rose, D.Phil.

Head of Regulatory Science

Oxitec Ltd

71 Innovation Drive

Milton Park

Abingdon OX14 4RQ

+44 1235 832393 (office)

+44 1865 959883 (Skype for Business)

www.oxitec.com | www.dna.com

